

NPS55WP73071A

//
NAVAL POSTGRADUATE SCHOOL
Monterey, California



ON THE EXISTENCE OF RELATIVE MORAL HAZARD

by

David Whipple

Edward Brill

David Walsh

July 1973

Approved for public release; distribution unlimited.

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral M. B. Freeman
Superintendent

M. U. Clauser
Provost

ABSTRACT

This paper points out that for purposes of estimating the total cost of various health care bills providing comprehensive prepaid care the relevant concept is not "moral hazard" as usually defined, but rather relative moral hazard, the tendency for an individual to increase utilization over what they might have done under a fee-for-service plus coinsurance system.

Although the empirical results are tentative and preliminary, they seem to indicate that great per capita jumps in the consumption of free inpatient care may well have been exaggerated.

Prepared by:

INTRODUCTION

In a recent study in this journal Hyman Joseph [1] compares utilization of inpatient health care facilities with and without third party payments and uses these comparisons to draw some conclusions concerning the existence and character of "moral hazard" resulting from the reduced direct out-of-pocket costs to the consumer.

In particular he focuses on "length of stay" data and finds that in seven (out of 22) illness categories, insurance status "significantly" (in the statistical sense) lengthens the average hospital stay. These seven illnesses can generally be classified as "less serious" medically and thus he draws a policy recommendation that "... the type of insurance plan that would result in less moral hazard would be one that reduces the percentage of the bill the patient pays as the amount of the bill increases. This type of plan would be preferable to actuarially equivalent plans that either require the patient to pay a flat percentage of the bill or require the patient to pay an increasing percentage of the bill as the bill increases." [1, p. 160-1]

These recommendations are fitting if we are addressing ourselves to the problem of how best to preserve the "fee-for-service plus coinsurance" dominated health care delivery system extant. However, it is increasingly apparent that the population at large considers access to adequate health care a right, and that the present delivery system, without drastic modification, is incapable of fulfilling the admittedly large increase in demand for medical services that adoption of such a principle on a national scale would entail.

The extent to which moral hazard may occur is of crucial importance in attempting to construct a modified health care delivery system which hopes to satisfy the increased effective demand resulting from the institution of large scale comprehensive access to care.

The fear is that if we guarantee access to the delivery system through government finance of care (say in the form of the Kennedy Health Securities Act on the national scale, or Senator George Moscone's Consumer Health Protection Act for Californians) utilization will not only increase because more people are covered, but because people previously covered by third party insurance will tend to increase their usage as well, the deductibles and coinsurance features of the health plans having been dropped. This latter phenomenon we will designate Relative Moral Hazard.

It is the purpose of this paper to indicate that the probable degree of such increased utilization of inpatient care ranges from very small to negative depending on the nature of the disease, and that credence must be given to expressed fears that the real problem in the long run is underutilization and not overutilization.

THE STUDY

The working hypothesis for the present study was that in order to best estimate the potential presence of Relative Moral Hazard, one should examine utilization figures for an existing delivery system most closely approximating that which would obtain if large scale comprehensive access to care were implemented. We believe the military health maintenance organization (HMO) to be such a prototype.¹

Military personnel and their dependents are effectively enrollees in a prepaid comprehensive health care delivery plan with no deductibles and only a nominal copayment for inpatient room charges.² They are entitled to financially unlimited access to both in and outpatient medical facilities. The only rationing mechanism is the queue which forms if demand is temporarily greater than the existing supply.

The medical personnel are likewise either military or civilian salaried employees with no economic incentive to overprescribe care.³

For these reasons it is felt that careful study of the utilization patterns of military HMO's can lead to a better understanding and more correct projections of the demands on medical resources attendant to implementing the general populations right to adequate health care.

The present paper is a preliminary report of inpatient utilization patterns based on data collected from Silas B. Hays Army Hospital at Fort Ord, California for a two year period (1971 and 1972). A larger comprehensive study covering both in and outpatient utilization patterns is underway and will encompass other military HMO's as well. In the instant paper we limit ourselves to length of stay analyses for 20 of the 22 international morbidity code categories identified by

Joseph. Mean length of stay for each category is calculated from the sample and compared with that realized in the fee-for-service (ffs) plus coinsurance case of Joseph's study.

ANALYSIS

Comparing the mean lengths of stay for 20 disease/conditions for inpatients at Silas B. Hays Army Hospital with those obtained by Hyman Joseph [1] requires a precise statistical formulation. Let μ_i^H be the mean length of hospital stay at Silas B. Hays Army Hospital for disease/condition i , with μ_i^I the corresponding mean length of stay for the Iowa Hospital in [1]. The hypothesis to be tested is that patients with observed "disease" i admitted to Hays Army Hospital actually stayed no longer than those admitted for the same condition at the Iowa Hospitals. That is:

$$H_1 : \mu_i^H \leq \mu_i^I \text{ for some given } i$$

The following notation is adopted:

$\bar{X}_{Ii} \equiv$ sample mean length of hospital stay for disease i at Iowa Hospital,

$N_{Ii} \equiv$ sample size of patients for disease i at an Iowa Hospital,

$S_{Ii}^2 \equiv$ sample variance of hospital stays for disease i at Iowa Hospital,

$N_{Hi} \equiv$ sample size of patients for disease i at Silas B. Hays Army Hospital,

$\bar{X}_{Hi} \equiv$ sample mean length of hospital stay for disease i at Silas B. Hays Army Hospital,

$S_{Hi}^2 \equiv$ sample variance from the mean length of stay for disease i at Silas B. Hayes Army Hospital.

The traditional t test, using pooled variance, uses the test statistic

$$t_i = \frac{\bar{X}_{Li} - \bar{X}_{Hi}}{S_p \sqrt{\frac{1}{N_{Li}} + \frac{1}{N_{Hi}}}}$$

and rejects H_1 if t_i is "too small," where:

$$S_p^2 \equiv \frac{(N_{Hi}-1)S_{Hi}^2 + (N_{Li}-1)S_{Li}^2}{(N_{Hi}+N_{Li}-2)}$$

represents the pooled variance.

The merits of the t -test may generally be said to rest upon the validity of the assumptions leading to its use. These assumptions are as follows:

1. Both populations (sampled from) have normal distributions.
2. The variances of each population are the same (homoscedasticity).

Under these assumptions, t_i has a t distribution with $N_{Li} + N_{Hi} - 2$ degrees of freedom. In cases where homoscedasticity cannot be justifiably assumed one may use the statistic

$$t'_i = \frac{\bar{X}_{Li} - \bar{X}_{Hi}}{\sqrt{S_{Hi}^2/N_{Hi} + S_{Li}^2/N_{Li}}}$$

which, if the assumptions of normality are correct, has approximately a t distribution with degrees of freedom

$$df = \frac{[(S_{Hi}^2/N_{Hi}) + (S_{Li}^2/N_{Li})]^2}{(S_{Hi}^4/N_{Hi}^3) + (S_{Li}^4/N_{Li}^3)}.$$

Interpolation may be necessary if df is not an integer.

The degree to which t'_i yields increased validity over t_i varies inversely with sample size, all things equal. This is so since the t distribution rapidly approaches the standard normal as the degrees of freedom reaches 30. Since our sample sizes are well above 30 for the most part, we should not expect this distinction to be material.

The importance of the normality assumption is also significantly diminished by the central limit theorem which would have t_i being distributed as a standard normal for large sample sizes regardless of the underlying form of the populations. Since our sample sizes range from 30 to 3000 with 4 exceptions, we should not expect deviations from normality to be material. The upshot is that t_i may be used with confidence in the sense that it is not sensitive to departures from underlying assumptions.

Table 1 summarizes the statistical results from the procedure outlined above.

Table 1.

Length of Stay Comparison: Hays vs Iowa Hospitals

DISEASE/ CONDITION	SAMPLE SIZE (N_I)	MEAN LENGTH OF STAY (\bar{X}_I)	VARIANCE (S_I^2)	SAMPLE SIZE (N_H)	MEAN LENGTH OF STAY (\bar{X}_H)	VARIANCE (S_H^2)	df	t- STATISTIC
Diabetes Mellitus	381	9.7	107.443	162	12.8209	128.4336	541	-3.12
Functional disease of the heart, Fibrillation, Paroxysmal tachycardia	217	9.0	164.716	43	7.930	96.5903	258	.517
Hemorrhoids	240	6.8	9.85688	103	11.699	645.8203	341	-2.94
Influenza with other respiratory manifestations, and influenza unqualified, Grippe	229	5.7	33.4904	39	3.077	16.6518	266	2.715
Bronchopneumonia	338	7.9	1003.67	55	6.309	55.5508	391	.370
Primary atypical Pneumonia	266	9.1	66.8836	7	11.2857	75.238	271	-.695
Acute Bronchitis	603	6.3	37.4020	92	5.2826	40.4907	693	1.483
Hypertrophy of tonsils and adenoids	1357	1.7	1.16699	72	2.305	.37011	1427	-4.688
Ulcer of Duodenum	439	8.7	56.465	38	13.60526	120.678	475	-3.699

DISEASE/ CONDITION	SAMPLE SIZE (N_I)	MEAN LENGTH OF STAY (\bar{X}_I)	VARIANCE (S_I^2)	SAMPLE SIZE (N_H)	MEAN LENGTH OF STAY (\bar{X}_H)	VARIANCE (S_H^2)	df	t- STATISTIC
Gastritis and Duodenitis, Gastrohepatitis	428	4.4	13.3988	28	7.25	92.4166	454	-3.43
Acute appendicitis	437	6.6	27.4433	19	17.473	82.0965	454	-8.525
Hernia of abdominal cavity without mention of obstruction	792	7.1	36.3002	294	9.0374	117.1317	1084	-3.72
Gastroenteritis and Colitis; except ulcerative, age 4 weeks and over	799	4.7	15.1020	344	2.64825	13.7914	1141	8.307
Cholelithiasis, Colic	448	10.4	51.4254	21	14.00	745.70	467	-1.79
Cholecystitis without mention of calculi	250	9.0	49.9435	18	9.833	116.8529	266	-.464
Disorder of menstruation, Dysmenorrhoea, Metrorrhagia, Mittelschmerz	300	3.7	9.88685	194	3.3917	9.05817	492	1.0877

DISEASE/ CONDITION	SAMPLE SIZE (N_I)	MEAN LENGTH OF STAY (\bar{X}_I)	VARIANCE (S_I^2)	SAMPLE SIZE (N_H)	MEAN LENGTH OF STAY (\bar{X}_H)	VARIANCE (S_H^2)	df	t- STATISTIC
Abortions without mention of sepsis or toxemia	359	2.7	5.85159	204	2.5144	3.9211	561	.784
Delivery without complication, stillborn	3757	4.4	2.53556	1119	3.6264	3.3308	4874	13.778
Displacement of intervertebral disc, rupture, herniation, protrusion, prolapse	305	11.2	59.7469	35	12.8285	94.6168	338	-1.147
Fracture of neck of femur, Hip	221	24.3	2441.09	31	81.5484	5421.2559	250	-5.646

The following diseases/conditions were significant at a .99 level of significance since $t_{.01}$ for all diseases/conditions was -2.326: That is, H_1 is rejected for the following diseases.

Diabetes Mellitus

Hemorrhoids

Hypertrophy of tonsils and adenoids

Ulcer of Duodenum

Gastritis and Duodenitis, Gastrohepatitis

Acute appendicitis

Hernia of abdominal cavity without mention of obstruction

Fracture of neck of femur, hip.

If the confidence limit was relaxed to .95 an additional disease/condition was significant:

Cholelithiasis, Colic

As a first approximation to interpreting the results of this data, we may simply note that for the 9 morbidity conditions noted above, the Hays Hospital and the free comprehensive case system did have significantly longer lengths of stay. However, in 11 of the 20 cases the hypothesis was not rejected.

It should immediately be noted that the data from Hays Hospital was not age or sex adjusted for differences in the population served vis-a-vis the population of the Iowa Hospitals.⁴ However, a qualitative consideration of the probable differences in the populations would seem to mitigate the failure of the hypothesis in at least some of the cases cited above. For example, it appears that a more significant proportion of the "enrollees" at military HMO's are in the over 60 age class because of the existence of a large retired military population on the Monterey

Peninsula. This, of course, leads to longer lengths of stay, *ceteris paribus*, compared to civilian eligible populations.

There also exist institutional differences in hospital policies which tend to result in longer stays in military HMO's and would not be present in the usual civilian counterpart. These include the existence of "medical boards" and the recuperative role of the HMO.

"Medical boards" are formal medical inquiries made after certain types of illnesses in order to determine whether active duty personnel are fit to resume their previous positions. These unfortunately take a not insignificant amount of time (which varies with the type of illness) during which period the patient remains attached to the hospital even though he is medically "cured," in the sense inpatient care is no longer necessary. Thus, in the case of fractures and hernia's for example, we might expect, *a priori*, longer stays in Hays vs the Iowa group.

By the same token, there exist patients who in "normal" (i.e. civilian) circumstances would be sent home to finish recuperation but can't be sent back to the barracks for lack of even cursory custodial care. They are thus kept on in their inpatient role, leading to longer lengths of stay. This may well explain the failure of the hypothesis in cases such as diabetes mellitus, hemorrhoids, etc., which require such periods of recuperation.

These results, however formal, are qualitative and difficult for a policymaker to interpret unless we include an overall measure of hospital utilization such as "patient-day equivalents." Very simply, we view the data from the Iowa Hospital as a base and then compare the number of patient-days for each disease at Iowa Hospital with the

corresponding number at Silas B. Hays--adjusted to account for the difference in sample sizes. Table 2 summarizes the results.

The bulk of the difference of 21,000 is due to appendicitis and neck fracture, where in both cases the sample sizes at Silas were small. If these two cases are ignored, the difference comprises a mere two-thirds of one per cent increase at Hays. Further comparisons of a more controlled nature would seem to be of considerable interest.

TABLE 2.

Disease/Condition	Patient Days	
	Iowa	Hays (Adjusted)
Diabetes Mellitus	3700	4900
Functional Heart disease	1950	1720
Hemorrhoids	1630	2800
Influenza	1305	705
Bronchopneumonia	2670	2130
Pneumonia	2420	3000
Acute Bronchitis	3800	3190
Hypertrophy of T and A	2300	3120
Ulcer of Duodenum	3810	5980
Gastritis	1880	3100
Acute Appendicitis	2880	7650
Hernia	5630	7160
Gastroenteritis and Colitis	3760	2120
Cholelithiasis, Colic	4670	6280
Cholecystitis	2250	2450
Disorder of menstruation	1110	1010
Abortions	970	915
Delivery	16,540	13,600
Displacement	3420	3920
Fractures	<u>5380</u>	<u>18,000</u>
TOTAL	72,075	93,750

CONCLUSIONS

We began by pointing out that for purposes of estimating the total costs of various size comprehensive health care bills the relevant concept is not "moral hazard" as usually defined, but rather relative moral hazard, the tendency for an individual to increase utilization over what they might have done under a ffs plus coinsurance system, which is most prevalent presently.

Although we by no means have proven that relative moral hazard does not exist, we believe that our initial and admittedly crude examination of a military HMO, adjusted for characteristics which would not be present in a civilian prepaid facility, indicates that projections of great per capita jumps in the consumption of free inpatient care may well have been exaggerated.

REFERENCES

1. Hyman, Joseph, "Hospital Insurance and Moral Hazard," Journal of Human Resources, VII, No. 2, p. 152-161.

FOOTNOTES

1. The problems involved in such an assertion are addressed later in the paper.
2. The daily "rations" charge runs from \$1.25 for enlisted men to \$1.75 for officers.
3. Further, they do not have the same potential economic incentive to under prescribe that doctors who are members of a profit sharing group may have.
4. We are as yet unable to rigorously perform such an operation due to the unavailability of age-sex data directly with the morbidity and diagnosis data, and the as yet incomplete development of a method of defining the exact population served by military HMO's. This stems from accessibility to care by both active and retired military personnel and dependents in overlapping health care districts. One of the authors (Whipple) is presently directing a study to provide the necessary methodology with reasonable accuracy.

INITIAL DISTRIBUTION LIST

	No. Copies
Defense Documentation Center Cameron Station Alexandria, Virginia 22314	12
Dean of Research Code 023 Naval Postgraduate School Monterey, California 93940	1
Library (Code 0212) Naval Postgraduate School Monterey, California 93940	2
Library (Code 55) Naval Postgraduate School Monterey, California 93940	2
Professor M. Block	1
Professor J. R. Borsting	1
Professor E. A. Brill	10
Professor R. W. Butterworth	1
Professor D. P. Gaver	1
Professor W. C. Giauque	1
Professor W. J. Haga	1
Professor C. R. Jones	1
Professor P. A. W. Lewis	1
Professor W. M. Raike	1
Professor D. A. Schrady	1
Professor M. G. Sovereign	1
Professor K. Terasawa	1
Professor M. U. Thomas	1
Professor D. R. Whipple	10
Professor N. K. Womer	1
Professor T. A. Wyatt	1
Department of Operations Research and Administrative Sciences Naval Postgraduate School Monterey, California 93940	
Professor John Hoag Department of Economics Bowling Green University Bowling Green, Ohio 43402	1
Health Services Research Training Program Institute of Social Sciences Yale University New Haven, Connecticut 06520	1

Dr. Joan E. O'Bannon Project Administrator Health Services Research Center Kaiser Foundation Hospitals 4707 S.E. Hawthorne Blvd. Portland, Oregon 97215	1
Dr. J. W. Davis Assistant Chief of Medicine Oak Knoll Naval Hospital Oakland, California 94627	1
Noralou P. Roos Graduate School of Management Northwestern University Evanston, Illinois 60201	1
Professor M. I. Kamien Graduate School of Management Northwestern University Evanston, Illinois 60201	1
Professor Jim Quirk Cal Tech Pasadena, California 91100	1
Professor G. A. Whitmore Purvis Hall 1020 Pine Avenue West McGill University Montreal, 112, Quebec, Canada	1
Professor Yoran Barzel Department of Economics University of Washington Seattle, Washington 98195	1
Professor William Holahan Department of Economics Brown University Providence, Rhode Island 02912	1
Professor Gary S. Dessler Florida International University Miami, Florida 33144	1
Professor Edward J. Rising University of Massachusetts Amherst, Massachusetts 01002	1

Professor James Anderson Purdue University Lafayette, Indiana 47907	1
G. Trebbi Westinghouse Research Laboratories Pittsburgh, Pennsylvania 15235	1
Professor Matthew Rosenshine Penn State University University Park, Pennsylvania 16802	1
Professor George W. Torrance McMaster University Hamilton, Ontario, Canada	1
Professor Robert B. Fetter Yale University New Haven, Connecticut 06520	1
Professor Lester Lave Carnegie-Mellon University Pittsburgh, Pennsylvania 15213	1
Professor James Buchanan Department of Economics Virginia Polytechnic Institute and State University Blacksburg, Virginia 24060	1
Commander Robert L. White Research Director Naval School of Health Care Administration Bethesda, Maryland 20014	1
Dr. Paul O'Rourke California Senate Office of Research 109 State Capitol Building Sacramento, California 95801	1
Alice Rivlin Brookings Institution 1775 Massachusetts Avenue Washington, D. C. 20036	1
Dr. John Huttman California State University 1600 Holloway Street San Francisco, California 94132	1

James Murray, Finance Director 90 Municipal Government Reference Center Boulder Public Library P. O. Drawer H Boulder, Colorado 80302	1
Dr. Donald E. Yett, Director Human Resources Research Center Graduate School of Business Administration University of Southern California University Park, California 90007	1
Michael B. Mitchell, P.E. Chief, Industrial Engineering Division Group Health Cooperative of Puget Sound 200 15th Avenue, East Seattle, Washington 98112	1
Ole Olsen Transaction Systems, Inc. 620 Peach Tree Street, N.E. Atlanta, Georgia 30308	1
Paul Press Office of Comprehensive Health Planning Department of Public Health 744 P Street Sacramento, California 95814	1
Ronald Anderson Associate Director Center for Health Administration Studies University of Chicago Chicago, Illinois 60600	1
Helen H. Avnet Director of Research Group Health Insurance, Inc. 227 West 40th Street New York, New York	1
Raymond Fink Associate Director of Research and Statistics Health Insurance Plan of Greater New York 625 Madison Avenue New York, New York	1
Merwyn R. Greenlick Director, Health Services Research Center Kaiser-Portland Foundation Hospitals 4707 S.E. Hawthorne Blvd. Portland, Oregon 97215	1

Alan Gross Health Services Research Center UCLA Los Angeles, California 90000	1
Joel W. Kovner Kaiser Foundation Health Plan, Inc. 1515 N. Vermont Avenue Los Angeles, California 90027	1
Ms. Ruth Galenter National Health and Environmental Law Project UCLA 405 Hilgard Los Angeles, California 90000	1
Dr. Sheridan L. Weinstein Deputy Director Division of Medical Care Standards Public Health Service Rockville, Maryland 20852	1
Mr. Sam Shapiro, Director The Johns Hopkins Medical Institution 624 North Broadway Baltimore, Maryland 21205	1
Professor Charles D. Flagle Department of Operations Research Johns Hopkins University Baltimore, Maryland 21205	1
Professor Marc Bendick, Jr. Department of Economics University of Wisconsin Madison, Wisconsin 53706	1
Gene Devine CNA 1401 Wilson Blvd. Arlington, Virginia 22200	1
Dr. Dan Walden National Center for Health Services R&D 5600 Fisher's Lane Rockville, Maryland 20850	1
Dr. John Rafferty National Center for Health Services R&D 5600 Fisher's Lane Rockville, Maryland 20850	1
Dr. Arthur Callahan Office of Naval Research 800 North Quincy Room 429 Alexandria, Virginia 22300	1

Captain John E. Wells Bureau of Medicine and Surgery 23rd and Constitution Avenue Building 7 Washington, D. C.	1
Professor Ken Smith University of Wisconsin Health Services Research Center Madison, Wisconsin 53706	1
Dr. Robert Lamson Boeing Computer Services, Inc. P. O. Box 24346 Seattle, Washington 98124	1
Dr. Al Rhode Op-96 4A 538 The Pentagon Washington, D. C.	1
Dr. Karen Davis The Brookings Institution 1775 Massachusetts Avenue Washington, D. C. 20036	1
Dr. Donald Riedel School of Medicine Yale University 60 College Street New Haven, Connecticut 06510	1
Professor Milton Roemer School of Public Health UCLA Los Angeles, California 90024	1
Ms. Anne Scitovsky Palo Alto Medical Research Foundation Palo Alto, California 94300	1
Dr. Clifton Gans Office of Health Policy Analysis and Research Room 4620, HEW North Bldg. 330 Independence Avenue Washington, D. C. 20201	1
Dr. Morris F. Collen 3779 Piedmont Avenue Oakland, California 94611	1

Professor Ronald Cummings Chairman, Department of Resource Economics University of Rhode Island Kingston, Rhode Island 62881	1
Professor Martin Feldstein Department of Economics Harvard University Cambridge, Massachusetts 02138	1
Professor Ted Tsukahara Department of Economics Pomona College Claremont, California 91711	1
Professor Richard S. Bower The Amos Tuck School of Business Administration Dartmouth College Hanover, New Hampshire 03755	1
Ms. Lucie Lapovsky State of Maryland Department of Budget and Discal Planning State Treasury Building Annapolis, Maryland 21404	1
Professor Thomas Ireland Department of Economics University of Missouri St. Louis, Missouri 63100	1
Professor Michael Grossman Department of Economics City University of New York New York, New York 10021	1
Dr. Robert Newhouse RAND Corporation 1700 Main Street Santa Monica, California 90406	1
Professor Richard Rosett Department of Economics University of Rochester Rochester, New York 14600	1
Professor Robert Evans Department of Economics University of British Columbia Vancouver, B. C., Canada	1

Professor Richard Austen
Department of Economics
University of Arizona
Tucson, Arizona 85700

1

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and index annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Naval Postgraduate School Monterey, California 93940		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE On the Existence of Relative Moral Hazard			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Technical Report			
5. AUTHOR(S) (First name, middle initial, last name) David Whipple, Edward Brill, David Walsh			
6. REPORT DATE July 1973		7a. TOTAL NO. OF PAGES 29	7b. NO. OF REFS 1
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT Approved for public release; distribution unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
13. ABSTRACT This paper points out that for purposes of estimating the total cost of various health care bills providing comprehensive prepaid care the relevant concept is not "moral hazard" as usually defined, but rather <u>relative</u> moral hazard, the tendency for an individual to increase utilization over what they might have done under a fee-for-service plus coinsurance system. Although the empirical results are tentative and preliminary, they seem to indicate that great <u>per capita</u> jumps in the consumption of free inpatient care may well have been exaggerated.			

A-31409

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01060310 3

01561